

ITCB-DV HV (High Volume)

Height: 35.0" Width: 10.0" Depth: 24.3"
(88.9cm) (25.4cm) (61.7cm)



 Servers Sold Separately

- Sleek modernized design language, with rounded angles on the corners and trunk
- Brews into 1.5 gallon and 1.0 gallon BUNN Thermofresh servers for coffee, and TD4T, TDO and TDO-N tea dispensers
- Digital readout displays in English, Spanish, or French --- for easier programming and control
- BUNN Infusion Series technology allows for multiple recipes from one footprint --- with three brew buttons and two batch sizes
- Tea brewing capability built-in with integrated dilution nozzle, software and Quick Brew tea brewing funnel
- Energy-saver mode reduces tank temperature during idle periods
- Exclusive Peak Extraction™ Sprayhead is multi-directional with a 17-hole design to ensure ultimate uniformity of extraction
- Electronic funnel lock prevents removal of each brew funnel until drip- through is complete
- USB programming capable
- Brew counter keeps track of how many batches are brewed
- Pre-infusion and pulse brew for maximum flavor extraction. Cold brew lockout & digital temperature control further ensure top-notch brewing.
- Includes overlay kit for customization of brewer interface
- Hot water faucet (supplied for custom installation)

Agency:



Specifications

Product #: 52300.0100

Water Access: Plumbed

Interface: Wireless

Finish: Stainless

Additional Features

Electrical & Capacity

| Volts* | Amps | Watts | Cord Attached | Plug Type | 8oz cups/hr 236ml cups/hr | Input H ₂ O Temp. | Phase | # Wires plus Ground | Hertz |
|---------|------|-------|---------------|------------|------------------------------|------------------------------|-------|---------------------|-------|
| 120 | 14 | 1700 | Yes | NEMA 5-15P | 82 | 60°F (15.5°C) | 1 | 2 | 60 |
| 120/208 | 14 | 2900 | - | N/A | 136 | 60°F (15.5°C) | 1 | 3 | 60 |
| 120/240 | 17 | 4050 | - | N/A | 181 | 60°F (15.5°C) | 1 | 3 | 60 |


*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

Plumbing Requirements

| PSI | kPa | Fitting Supplied | Water Flow Required (GPM) |
|-------|---------|-------------------------|---------------------------|
| 20-90 | 138-621 | 3/8" Male Flare Fitting | 1.25 |

CAD Drawings


| 2D | Revit | KLC |
|----|-------|-----|
| ● | | |

 **WARNING:** This product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
07/20/2021



| Unit | | | | Shipping | | | | |
|---------|----------|----------|----------|----------|----------|----------|------------|------------|
| | Height | Width | Depth | Height | Width | Depth | Weight | Volume |
| English | 35.0 in. | 10.0 in. | 24.3 in. | 38.1 in. | 14.3 in. | 32.3 in. | 58.360 lbs | 10.139 ft³ |
| Metric | 88.9 cm | 25.4 cm | 61.7 cm | 96.8 cm | 36.2 cm | 81.9 cm | 26.472 kgs | 0.287 m³ |



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
07/20/2021

Related Products & Accessories:ITCB-DV HV (High Volume)(52300.0100)



FILTERS, GOURMET 500
500/1 50/CL

Product #: 20138.1000

FUNNEL ASSY, SMART
COFFEE BLK-CLEARED

Product #: 53463.0038

FUNNEL ASSY, TEA
NATURAL QUICK BREW

Product #: 53463.0039



STAND ASSY KIT, TF
SERVER

Product #: 54473.1000



Serving & Holding Options: ITCB-DV HV (High Volume)(52300.0100)



TD4, SIGHT GAUGE
SWT/UNSWT HDL

Product #:03250.0003



TD4T, SIGHT GAUGE
NUDGER HDL

Product #:03250.0004



TD4T, BREW THRU LID
NUDGER HDL

Product #:03250.0005



TD4, BREW THRU LID
SWT/UNSWT HDL

Product #:03250.0006



TD4T, BREW THRU LID
NO DECAL NUDGER
HDL

Product #:03250.0018



AIRPOT, 2.5L GL PB
SINGLE PK

Product #:13041.0001



AIRPOT, 2.5L SST LA
SINGLE PK

Product #:32125.0000



AIRPOT, 3.0L SST LA
SINGLE PK

Product #:32130.0000



TDS-3, 3 GAL

Product #:33000.0000



TDS-3.5, 3.5 GAL

Product #:33000.0023



TDO-4, RESERVOIR

Product #:34100.0000



TDO-5, RESERVOIR

Product #:34100.0001



TDO-4, RESERVOIR
BREW THRU

Product #:34100.0002



TDO-5, RESERVOIR,
BREW THRU

Product #:34100.0003



THERMAL CARAFE, BLK
1.83 L 1PK

Product #:36029.0001



THERMAL CARAFE, ORN
1.9L 1PK

Product #:36252.0001



TDO-N-3.5, RSVR

Product #:39600.0001



TDO-N-3.5, RSVR W/
LIFT HANDLE

Product #:39600.0031



TDO-N-3.5, RSVR W/
PINCH TUBE

Product #:39600.0047



TF SERVER, 1G DSG
GEN3 NOBASE

Product #:42700.0250



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
07/20/2021

Serving & Holding Options: ITCB-DV HV (High Volume)(52300.0100)



TF SERVER, 1G MECH
GEN3 NOBASE

Product #:44000.0250



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
07/20/2021