### ITCB-DV PE, 29" W/Tray

Height: 35.0" Width: 11.6" Depth: 22.5" (88.9cm) (29.5cm) (57.2cm)





- 4.3" Color Touchscreen aids in customizing recipes, brewing options and control
- SmartWAVE sprayhead technology creates an industry best uniformity of extraction for exceptionally smooth tasting coffee
- Customers can easily add up to 10 screensaver images to advertise and promote their brand and products
- · USB port for easy programming
- · BUNN Infusion Series technology allows for multiple recipes from one footprint
- Includes both coffee (Stainless) and tea (Plastic) funnels
- Energy-saver mode reduces tank temperature during idle periods
- Exclusive Peak Extraction™ Sprayhead is multi-directional with a 17- hole design to ensure ultimate uniformity of extraction
- Electronic funnel lock prevents removal of each brew funnel until drip- through is complete
- Pre-infusion and pulse brew for maximum flavor extraction. Cold brew lockout & digital temperature control further ensure top-notch brewing
- Includes integrated flip tray that converts to three positions: thermal carafe, airpot and tea dispenser
- Dual voltage adaptable (can operate at 120V/15 amp or 120/208-240V/20 amp)

#### Agency:





#### **Specifications**

roduct #: 52500.0100 Funnel: Stainless Steel

Water Access: Plumbed Funnel: Translucent Tea Funnel

Interface: Wireless
Finish: Stainless

#### Additional Features

BrewWISE

### **Electrical & Capacity**

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H <sup>2</sup> O Temp.	Phase	# Wires plus Ground	Hertz
120	14	1700	Yes	NEMA 5-15P	80	60°F (15.5°C)	1	2	60
120/208	13	2650	-	N/A	123	60°F (15.5°C)	1	3	60
120/240	15	3500	-	N/A	163	60°F (15.5°C)	1	3	60

"When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

#### Plumbing Requirements

	Transmig requirements							
PSI		kPa	Fitting Supplied	Water Flow Required (GPM)				
	20-90	138-621	1/4" Male Flare Fitting	1.25				

#### **CAD Drawings**

2D	Revit	KLC
•		

MARNING: This product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Unit				Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	35.0 in.	11.6 in.	22.5 in.	38.0 in.	13.3 in.	27.4 in.	41.610 lbs	7.976 ft <sup>3</sup>
Metric	88.9 cm	29.5 cm	57.2 cm	96.5 cm	33.7 cm	69.5 cm	18.874 kgs	0.226 m³



### Related Products & Accessories: ITCB-DV PE, 29" W/Tray(52500.0100)



FILTERS, GOURMET 500 500/1 50/CL

Product #: 20138.1000



BOOSTER, AIRPOT/TS-TALL

Product #: 35976.0003



FUNNEL ASSY, SMART COFFEE BLK-CLEARED

Product #: 53463.0021



STAND ASSY KIT, TF SERVER

Product #: 54473.1000

FUNNEL ASSY, SST INFUSION COFFEE

Product #: 54675.0001



# Serving & Holding Options: ITCB-DV PE, 29" W/Tray(52500.0100)



TD4T, SIGHT GAUGE NUDGER HDL

Product #:03250.0004



TD4T,BREW THRU LID NUDGER HDL

Product #:03250.0005



TD4T, BREW THRU LID NO DECAL NUDGER HDL

Product #:03250.0018



AIRPOT, 2.5L GL PB SINGLE PK

Product #:13041.0001



AIRPOT, 2.5L GL PB 6/ CASE

Product #:13041.0101



AIRPOT, 2.5L SST LA SINGLE PK

Product #:32125.0000



AIRPOT, 2.5L SST LA 6/ CASE

Product #:32125.0100



AIRPOT, 3.0L SST LA SINGLE PK

Product #:32130.0000



AIRPOT, 3.0L SST LA 6/ CASE

Product #:32130.0100



TDS-3, 3 GAL

Product #:33000.0000



TDS-3.5, 3.5 GAL

Product #:33000.0023



TDO-4, RESERVOIR

Product #:34100.0000



TDO-5, RESERVOIR

Product #:34100.0001



TDO-4, RESERVOIR BREW THRU

Product #:34100.0002



TDO-5, RESERVOIR, BREW THRU

Product #:34100.0003



THERMAL CARAFE, BLK 1.9L 12PK

Product #:36029.0000



THERMAL CARAFE, BLK 1.83 L 1PK

Product #:36029.0001



THERMAL CARAFE,ORN 1.9L 12PK

Product #:36252.0000



THERMAL CARAFE,ORN 1.9L 1PK

Product #:36252.0001



AIRPOT, 3.8L SST LA SINGLE PK

Product #:36725.0000



# Serving & Holding Options: ITCB-DV PE, 29" W/Tray(52500.0100)



AIRPOT, 3.8L SST LA 6/ CASE

Product #:36725.0100



TDO-N-3.5, RSVR

Product #:39600.0001



TDO-N-4.0, RSVR BUNN

Product #:39600.0002



TDO-N-3.5, RSVR W/ LIFT HANDLE

Product #:39600.0031



TDO-N-3.5, RSVR W/ PINCH TUBE

Product #:39600.0047



CARAFE,SST 1.9L SHRT BLK 1

Product #:40163.0000



TF SERVER, DSG2 1G/3.8L

Product #:42700.0000



TF SERVER, 1G DSG GEN3 NOBASE

Product #:42700.0250



TF SERVER, DSG2 1.5G

Product #:42750.0001



TF SERVER, 1G/3.8L MECH

Product #:44000.0000



TF SERVER, 1G MECH GEN3 NOBASE

Product #:44000.0250



TF SERVER, 1.5G/5.7L MECH

Product #:44050.0000



TF SERVER, 1.5G/5.7L MECH BLK

Product #:44050.0001

